

		, , , , , , , , , , , , , , , , , , ,	
)	Application No.	Applicant(s)	
	10/631,922	BAUMGARTNER, STEVEN JOHN	N
Notice of Allowability	Examiner	Art Unit	
	KHAI TRAN	2611	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed 12/14/2006.			
2. The allowed claim(s) is/are <u>1-4,9 and 10</u> .			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
a) All b) Some* c) None of the:			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
	·	•	
·	•		
Attachment(s)			
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Date		
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendr	nent/Comment	
Paper No./Mail Date 11/10/2003 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	ent of Reasons for Allowance	
of Biological Material	9.		
	•		,
•			

Application/Control Number: 10/631,922

Art Unit: 2611

REASONS FOR ALLOWANCE

Allowable Subject Matter

- 1. Claims 1-4 and 9-10 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: none of the prior art of the record discloses or suggest that an automatic baud rate detection circuit comprising: a signal detector which detects first predetermined signals at an input stage of a transceiver and responsive thereto, outputs second predetermined signals; a reference signal oscillator generator; and a frequency discriminator which receives a reference signal from the reference signal oscillator generator, and signals from the input stage of the transceiver, and outputs a baud rate signal in response to the second predetermined signals from the signal detector as recited in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Suemura (U.S. Pat. 5,400,67) discloses an automatic frequency control system. Shimonaka et al (U.S. Pat. 5,548,434) disclose a spatial light transmission apparatus.

Ryu (U.S. Pat.5,898,719) discloses an optical frequency stabilizer.

Application/Control Number: 10/631,922 Page 3

Art Unit: 2611

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JAY PATEL can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Man maryth

Primary Examiner

Art Unit 2611

Application/Control Number: 10/631,922

Art Unit: 2611

EXAMINER'S AMENDMENT

- 1. The amendment filed 12/14/2006 has been entered. Claims 5-8 have been cancelled. Claims 1-4, 9-10 are pending in this Office action.
- 2. The application has been amended as follows:

Claim 2, line 4, the term "electrical signals" has been changed to --electrical signals;--.

KHAI TRAN

Primary Examiner

Art Unit 2611

KT

December 18, 2006